

# GATES BELTS

## CROSS REFERENCE

### B SECTION



THANK YOU FOR SHOPPING WITH US.  
[www.VBeltSupply.com](http://www.VBeltSupply.com)

[www.VBeltSupply.com](http://www.VBeltSupply.com)  
Office Hours: Monday - Friday 7:30 AM - 5:00 PM (CST)  
Local: (605) 335-9598 | Toll Free: (888) 291-5450  
[salesteam@vbeltsupply.com](mailto:salesteam@vbeltsupply.com)

Roller Chain is the newest product  
line we are offering online.  
Please take a tour at  
[www.RollerChainSupply.com](http://www.RollerChainSupply.com)

## GATES V-BELTS

## V-BELT SUPPLY CROSS REFERENCE

VBeltSupply Part Number	Gates Part Number	Top Width	Inside Measurement	Outside Meas. (APPROXIMATE)
B19	B19	5/8" or 21/32"	19"	22"
B20	B20	5/8" or 21/32"	20"	23"
B21	B21	5/8" or 21/32"	21"	24"
B22	B22	5/8" or 21/32"	22"	25"
B23	B23	5/8" or 21/32"	23"	26"
B24	B24	5/8" or 21/32"	24"	27"
B25	B25	5/8" or 21/32"	25"	28"
B26	B26	5/8" or 21/32"	26"	29"
B27	B27	5/8" or 21/32"	27"	30"
B28	B28	5/8" or 21/32"	28"	31"
B29	B29	5/8" or 21/32"	29"	32"
B30	B30	5/8" or 21/32"	30"	33"
B31	B31	5/8" or 21/32"	31"	34"
B32	B32	5/8" or 21/32"	32"	35"
B32.5	B32.5	5/8" or 21/32"	32.5"	35.5"
B33	B33	5/8" or 21/32"	33"	36"
B33.5	B33.5	5/8" or 21/32"	33.5"	36.5"
B34	B34	5/8" or 21/32"	34"	37"
B35	B35	5/8" or 21/32"	35"	38"
B36	B36	5/8" or 21/32"	36"	39"
B37	B37	5/8" or 21/32"	37"	40"
B38	B38	5/8" or 21/32"	38"	41"
B38.5	B38.5	5/8" or 21/32"	38.5"	41.5"
B39	B39	5/8" or 21/32"	39"	42"
B40	B40	5/8" or 21/32"	40"	43"
B41	B41	5/8" or 21/32"	41"	44"
B42	B42	5/8" or 21/32"	42"	45"
B43	B43	5/8" or 21/32"	43"	46"
B44	B44	5/8" or 21/32"	44"	47"
B45	B45	5/8" or 21/32"	45"	48"
B46	B46	5/8" or 21/32"	46"	49"
B47	B47	5/8" or 21/32"	47"	50"
B48	B48	5/8" or 21/32"	48"	51"
B49	B49	5/8" or 21/32"	49"	52"
B50	B50	5/8" or 21/32"	50"	53"
B51	B51	5/8" or 21/32"	51"	54"
B52	B52	5/8" or 21/32"	52"	55"
B53	B53	5/8" or 21/32"	53"	56"
B54	B54	5/8" or 21/32"	54"	57"

## GATES V-BELTS

## V-BELT SUPPLY CROSS REFERENCE

VBeltSupply Part Number	Gates Part Number	Top Width	Inside Measurement	Outside Meas. (APPROXIMATE)
B54.5	B54.5	5/8" or 21/32"	54.5"	57.5"
B55	B55	5/8" or 21/32"	55"	58"
B56	B56	5/8" or 21/32"	56"	59"
B57	B57	5/8" or 21/32"	57"	60"
B58	B58	5/8" or 21/32"	58"	61"
B59	B59	5/8" or 21/32"	59"	62"
B60	B60	5/8" or 21/32"	60"	63"
B61	B61	5/8" or 21/32"	61"	64"
B62	B62	5/8" or 21/32"	62"	65"
B63	B63	5/8" or 21/32"	63"	66"
B64	B64	5/8" or 21/32"	64"	67"
B65	B65	5/8" or 21/32"	65"	68"
B66	B66	5/8" or 21/32"	66"	69"
B67	B67	5/8" or 21/32"	67"	70"
B68	B68	5/8" or 21/32"	68"	71"
B69	B69	5/8" or 21/32"	69"	72"
B70	B70	5/8" or 21/32"	70"	73"
B71	B71	5/8" or 21/32"	71"	74"
B72	B72	5/8" or 21/32"	72"	75"
B73	B73	5/8" or 21/32"	73"	76"
B74	B74	5/8" or 21/32"	74"	77"
B75	B75	5/8" or 21/32"	75"	78"
B76	B76	5/8" or 21/32"	76"	79"
B77	B77	5/8" or 21/32"	77"	80"
B78	B78	5/8" or 21/32"	78"	81"
B79	B79	5/8" or 21/32"	79"	82"
B80	B80	5/8" or 21/32"	80"	83"
B81	B81	5/8" or 21/32"	81"	84"
B82	B82	5/8" or 21/32"	82"	85"
B83	B83	5/8" or 21/32"	83"	86"
B84	B84	5/8" or 21/32"	84"	87"
B85	B85	5/8" or 21/32"	85"	88"
B86	B86	5/8" or 21/32"	86"	89"
B87	B87	5/8" or 21/32"	87"	90"
B88	B88	5/8" or 21/32"	88"	91"
B89	B89	5/8" or 21/32"	89"	92"
B90	B90	5/8" or 21/32"	90"	93"
B91	B91	5/8" or 21/32"	91"	94"
B92	B92	5/8" or 21/32"	92"	95"

## GATES V-BELTS

## V-BELT SUPPLY CROSS REFERENCE

VBeltSupply Part Number	Gates Part Number	Top Width	Inside Measurement	Outside Meas. (APPROXIMATE)
B93	B93	5/8" or 21/32"	93"	96"
B94	B94	5/8" or 21/32"	94"	97"
B95	B95	5/8" or 21/32"	95"	98"
B96	B96	5/8" or 21/32"	96"	99"
B97	B97	5/8" or 21/32"	97"	100"
B98	B98	5/8" or 21/32"	98"	101"
B99	B99	5/8" or 21/32"	99"	102"
B100	B100	5/8" or 21/32"	100"	103"
B101	B101	5/8" or 21/32"	101"	104"
B102	B102	5/8" or 21/32"	102"	105"
B103	B103	5/8" or 21/32"	103"	106"
B104	B104	5/8" or 21/32"	104"	107"
B105	B105	5/8" or 21/32"	105"	108"
B106	B106	5/8" or 21/32"	106"	109"
B107	B107	5/8" or 21/32"	107"	110"
B108	B108	5/8" or 21/32"	108"	111"
B109	B109	5/8" or 21/32"	109"	112"
B110	B110	5/8" or 21/32"	110"	113"
B111	B111	5/8" or 21/32"	111"	114"
B112	B112	5/8" or 21/32"	112"	115"
B113	B113	5/8" or 21/32"	113"	116"
B114	B114	5/8" or 21/32"	114"	117"
B115	B115	5/8" or 21/32"	115"	118"
B116	B116	5/8" or 21/32"	116"	119"
B117	B117	5/8" or 21/32"	117"	120"
B118	B118	5/8" or 21/32"	118"	121"
B119	B119	5/8" or 21/32"	119"	122"
B120	B120	5/8" or 21/32"	120"	123"
B121	B121	5/8" or 21/32"	121"	124"
B122	B122	5/8" or 21/32"	122"	125"
B123	B123	5/8" or 21/32"	123"	126"
B124	B124	5/8" or 21/32"	124"	127"
B125	B125	5/8" or 21/32"	125"	128"
B126	B126	5/8" or 21/32"	126"	129"
B127	B127	5/8" or 21/32"	127"	130"
B128	B128	5/8" or 21/32"	128"	131"
B129	B129	5/8" or 21/32"	129"	132"
B130	B130	5/8" or 21/32"	130"	133"
B131	B131	5/8" or 21/32"	131"	134"



## GATES V-BELTS

## V-BELT SUPPLY CROSS REFERENCE

VBeltSupply Part Number	Gates Part Number	Top Width	Inside Measurement	Outside Meas. (APPROXIMATE)
B132	B132	5/8" or 21/32"	132"	135"
B133	B133	5/8" or 21/32"	133"	136"
B134	B134	5/8" or 21/32"	134"	137"
B135	B135	5/8" or 21/32"	135"	138"
B136	B136	5/8" or 21/32"	136"	139"
B137	B137	5/8" or 21/32"	137"	140"
B138	B138	5/8" or 21/32"	138"	141"
B139	B139	5/8" or 21/32"	139"	142"
B140	B140	5/8" or 21/32"	140"	143"
B141	B141	5/8" or 21/32"	141"	144"
B142	B142	5/8" or 21/32"	142"	145"
B143	B143	5/8" or 21/32"	143"	146"
B144	B144	5/8" or 21/32"	144"	147"
B145	B145	5/8" or 21/32"	145"	148"
B146	B146	5/8" or 21/32"	146"	149"
B147	B147	5/8" or 21/32"	147"	150"
B148	B148	5/8" or 21/32"	148"	151"
B149	B149	5/8" or 21/32"	149"	152"
B150	B150	5/8" or 21/32"	150"	153"
B151	B151	5/8" or 21/32"	151"	154"
B152	B152	5/8" or 21/32"	152"	155"
B153	B153	5/8" or 21/32"	153"	156"
B154	B154	5/8" or 21/32"	154"	157"
B155	B155	5/8" or 21/32"	155"	158"
B156	B156	5/8" or 21/32"	156"	159"
B157	B157	5/8" or 21/32"	157"	160"
B158	B158	5/8" or 21/32"	158"	161"
B159	B159	5/8" or 21/32"	159"	162"
B160	B160	5/8" or 21/32"	160"	163"
B162	B162	5/8" or 21/32"	162"	165"
B163	B163	5/8" or 21/32"	163"	166"
B164	B164	5/8" or 21/32"	164"	167"
B165	B165	5/8" or 21/32"	165"	168"
B166	B166	5/8" or 21/32"	166"	169"
B167	B167	5/8" or 21/32"	167"	170"
B168	B168	5/8" or 21/32"	168"	171"
B169	B169	5/8" or 21/32"	169"	172"
B170	B170	5/8" or 21/32"	170"	173"
B171	B171	5/8" or 21/32"	171"	174"

## GATES V-BELTS

## V-BELT SUPPLY CROSS REFERENCE

VBeltSupply Part Number	Gates Part Number	Top Width	Inside Measurement	Outside Meas. (APPROXIMATE)
B172	B172	5/8" or 21/32"	172"	175"
B173	B173	5/8" or 21/32"	173"	176"
B174	B174	5/8" or 21/32"	174"	177"
B175	B175	5/8" or 21/32"	175"	178"
B176	B176	5/8" or 21/32"	176"	179"
B177	B177	5/8" or 21/32"	177"	180"
B178	B178	5/8" or 21/32"	178"	181"
B180	B180	5/8" or 21/32"	180"	183"
B182	B182	5/8" or 21/32"	182"	185"
B183	B183	5/8" or 21/32"	183"	186"
B184	B184	5/8" or 21/32"	184"	187"
B185	B185	5/8" or 21/32"	185"	188"
B186	B186	5/8" or 21/32"	186"	189"
B187	B187	5/8" or 21/32"	187"	190"
B188	B188	5/8" or 21/32"	188"	191"
B188	B188	5/8" or 21/32"	188"	191"
B189	B189	5/8" or 21/32"	189"	192"
B190	B190	5/8" or 21/32"	190"	193"
B191	B191	5/8" or 21/32"	191"	194"
B192	B192	5/8" or 21/32"	192"	195"
B193	B193	5/8" or 21/32"	193"	196"
B195	B195	5/8" or 21/32"	195"	198"
B196	B196	5/8" or 21/32"	196"	199"
B197	B197	5/8" or 21/32"	197"	200"
B198	B198	5/8" or 21/32"	198"	201"
B199	B199	5/8" or 21/32"	199"	202"
B200	B200	5/8" or 21/32"	200"	203"
B201	B201	5/8" or 21/32"	201"	204"
B202	B202	5/8" or 21/32"	202"	205"
B204	B204	5/8" or 21/32"	204"	207"
B205	B205	5/8" or 21/32"	205"	208"
B206	B206	5/8" or 21/32"	206"	209"
B207	B207	5/8" or 21/32"	207"	210"
B208	B208	5/8" or 21/32"	208"	211"
B210	B210	5/8" or 21/32"	210"	213"
B212	B212	5/8" or 21/32"	212"	215"
B213	B213	5/8" or 21/32"	213"	216"
B214	B214	5/8" or 21/32"	214"	217"
B215	B215	5/8" or 21/32"	215"	218"

## GATES V-BELTS

## V-BELT SUPPLY CROSS REFERENCE

VBeltSupply Part Number	Gates Part Number	Top Width	Inside Measurement	Outside Meas. (APPROXIMATE)
B216	B216	5/8" or 21/32"	216"	219"
B217	B217	5/8" or 21/32"	217"	220"
B220	B220	5/8" or 21/32"	220"	223"
B221	B221	5/8" or 21/32"	221"	224"
B223	B223	5/8" or 21/32"	223"	226"
B224	B224	5/8" or 21/32"	224"	227"
B225	B225	5/8" or 21/32"	225"	228"
B228	B228	5/8" or 21/32"	228"	231"
B229	B229	5/8" or 21/32"	229"	232"
B230	B230	5/8" or 21/32"	230"	233"
B232	B232	5/8" or 21/32"	232"	235"
B234	B234	5/8" or 21/32"	234"	237"
B235	B235	5/8" or 21/32"	235"	238"
B236	B236	5/8" or 21/32"	236"	239"
B237	B237	5/8" or 21/32"	237"	240"
B239	B239	5/8" or 21/32"	239"	242"
B240	B240	5/8" or 21/32"	240"	243"
B245	B245	5/8" or 21/32"	245"	248"
B246	B246	5/8" or 21/32"	246"	249"
B248	B248	5/8" or 21/32"	248"	251"
B249	B249	5/8" or 21/32"	249"	252"
B250	B250	5/8" or 21/32"	250"	253"
B251	B251	5/8" or 21/32"	251"	254"
B252	B252	5/8" or 21/32"	252"	255"
B253	B253	5/8" or 21/32"	253"	256"
B255	B255	5/8" or 21/32"	255"	258"
B256	B256	5/8" or 21/32"	256"	259"
B257	B257	5/8" or 21/32"	257"	260"
B259	B259	5/8" or 21/32"	259"	262"
B260	B260	5/8" or 21/32"	260"	263"
B265	B265	5/8" or 21/32"	265"	268"
B270	B270	5/8" or 21/32"	270"	273"
B276	B276	5/8" or 21/32"	276"	279"
B280	B280	5/8" or 21/32"	280"	283"
B285	B285	5/8" or 21/32"	285"	288"
B287	B287	5/8" or 21/32"	287"	290"
B290	B290	5/8" or 21/32"	290"	293"
B292	B292	5/8" or 21/32"	292"	295"
B293	B293	5/8" or 21/32"	293"	296"

## GATES V-BELTS

## V-BELT SUPPLY CROSS REFERENCE

VBeltSupply Part Number	Gates Part Number	Top Width	Inside Measurement	Outside Meas. (APPROXIMATE)
B300	B300	5/8" or 21/32"	300"	303"
B305	B305	5/8" or 21/32"	305"	308"
B310	B310	5/8" or 21/32"	310"	313"
B315	B315	5/8" or 21/32"	315"	318"
B330	B330	5/8" or 21/32"	330"	333"
B340	B340	5/8" or 21/32"	340"	343"
B341	B341	5/8" or 21/32"	341"	344"
B345	B345	5/8" or 21/32"	345"	348"
B346	B346	5/8" or 21/32"	346"	349"
B350	B350	5/8" or 21/32"	350"	353"
B354	B354	5/8" or 21/32"	354"	357"
B360	B360	5/8" or 21/32"	360"	363"
B375	B375	5/8" or 21/32"	375"	378"
B389	B389	5/8" or 21/32"	389"	392"
B394	B394	5/8" or 21/32"	394"	397"
B433	B433	5/8" or 21/32"	433"	436"
B444	B444	5/8" or 21/32"	444"	447"
B491	B491	5/8" or 21/32"	491"	494"
B512	B512	5/8" or 21/32"	512"	515"
B553	B553	5/8" or 21/32"	553"	556"
B561	B561	5/8" or 21/32"	561"	564"
B569	B569	5/8" or 21/32"	569"	572"